

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	200899	LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:28
S3	169217	S2 and (client or user or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:32
S4	5133	S3 and (remote near3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:37
S6	92	S4 and (PPP near3 connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:42
S7	8	S4 and (PPPOE near3 connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:11
S8	56	S4 and PPPOE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:26
S9	149	home near3 gateway near3 apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 15:09
S12	4	S9 and (WAN near3 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:54
S14	407	S2 and PPPOE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 15:12

S15	40	S14 and (discovery near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 15:13
S16	200899	LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 18:08
S17	31	S16 and (home near3 gateway near3 apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 18:08
S18	1	10/791359	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 08:34
S19	1	"0176434".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/02 12:01
S20	2	"20020095299".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 18:20
S21	495	(pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 18:29
S22	36	(pppoe or point to point over ethernet) and (ppp or point to point) with lan and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 18:31
S23	0	(pppoe or point to point over ethernet) and enabl \$5 (ppp or point to point) with lan and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 18:37

S24	0	(pppoe or point to point over ethernet) and (ppp or point to point) with lan device and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 18:38
S25	49	(pppoe or point to point over ethernet) and concentrator and dslam and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:31
S26	19	(pppoe or point to point over ethernet) and concentrator and dslam and cable modem and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:31
S27	0	(pppoe or point to point over ethernet) and computer and wireless access point and set top box and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:44
S28	0	(pppoe or point to point over ethernet) and computer and wireless access point and set top box and usb and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:45
S29	0	(pppoe or point to point over ethernet) and computer and access point and set top box and (usb or universal serial bus) and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:46
S30	0	(pppoe or point to point over ethernet) and computer and access point and set top box and (usb or universal serial bus) and (voip or voice over ip) and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:47
S31	40	(pppoe or point to point over ethernet) and (computer or access point or set top box) and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:49

S32	12	(pppoe or point to point over ethernet) with (computer or access point or set top box) and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 19:52
S33	0	(pppoe or point to point over ethernet) and disabl \$5 near9 (nat or network address translation) with ppp and tv and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:09
S34	0	(pppoe or point to point over ethernet) and disabl \$5 near9 (nat or network address translation) with ppp and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:10
S35	0	(pppoe or point to point over ethernet) and disabl \$5 with (nat or network address translation) with ppp and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:10
S36	14	(pppoe or point to point over ethernet) and (nat or network address translation) with ppp and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:10
S37	8	(pppoe or point to point over ethernet) with(nat or network address translation) with ppp and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:12
S38	8	(pppoe or point to point over ethernet) with (nat or network address translation) with ppp and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:12
S39	0	(pppoe or point to point over ethernet) and disabl \$5 near15 (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:14

S40	0	(pppoe or point to point over ethernet) and disabl \$5 with (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:14
S41	26	(pppoe or point to point over ethernet) and disabl \$5 and (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:15
S42	0	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) with (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:16
S43	88	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:16
S44	0	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) near15 (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:17
S45	0	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) same (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:17
S46	88	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and(nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:17
S47	88	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:17

S48	10	(pppoe or point to point over ethernet) and (disabl \$5 or disconnect\$5 or terminat\$5) and (nat or network address translation) with ppp and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:18
S49	71	(pppoe or point to point over ethernet) and disabl \$5 and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:24
S50	0	(pppoe or point to point over ethernet) and disabl \$5 nat and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:24
S51	0	(pppoe or point to point over ethernet) and disabl \$5 (nat or network addres translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:25
S52	0	(pppoe or point to point over ethernet) and disabl \$5 with (nat or network addres translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:25
S53	0	(pppoe or point to point over ethernet) and disabl \$5 same (nat or network addres translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:25
S54	5	(pppoe or point to point over ethernet) and receiv \$5 near9 request and bluetooth and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/03 20:29
S55	57	(pppoe or point to point over ethernet) with pppoe client and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 10:57

S56	0	(pppoe or point to point over ethernet) with pppoe client with node and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 10:58
S57	28	(pppoe or point to point over ethernet) with pppoe client and lan and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 10:59
S58	0	(pppoe or point to point over ethernet) and (disabl \$5 or block\$5) (nat or network address translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:28
S59	0	(pppoe or point to point over ethernet) and (disabl \$5 or block\$5 or deactivat \$5) (nat or network address translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:29
S60	0	(pppoe or point to point over ethernet) and (disabl \$5 or block\$5 or deactivat \$5) (nat or network address translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:30
S61	0	(pppoe or point to point over ethernet) and (nat or network address translation) feature and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:31
S62	6	(pppoe or point to point over ethernet) and (nat or network address translation) funct\$5 and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:31
S63	25	(disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:37

S64	0	(disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:38
S65	5	(disabl\$5 or block\$5 or deactivat\$5) with (nat or network address translation) and (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:39
S66	486	(disabl\$5 or block\$5 or deactivat\$5) with ppp and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:41
S67	0	(disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) with ppp and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:42
S68	6	(disabl\$5 or block\$5 or deactivat\$5) (nat or network address translation) and ppp and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:42
S69	7	(pppoe or point to point over ethernet) and (receiv\$5 request\$5 or message) with (bletooth or usb or dsl modem or cable modem or wireless modem) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:50
S70	2	(dsl modem or cable modem or wireless modem or satellite modem) near12 (execut\$5 or output) near12 (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 11:59

S71	0	(dsl modem or cable modem or wireless modem or satellite modem) near12 (execut\$5 or output) near12 (pppoe or point to point over ethernet) and concentrator and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 12:02
S72	0	(dsl modem or cable modem or wireless modem or satellite modem) same (execut\$5 or output) near12 (pppoe or point to point over ethernet) and concentrator and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 12:02
S73	1	(dsl modem or cable modem or wireless modem or satellite modem) same (execut\$5 or output) same (pppoe or point to point over ethernet) and concentrator and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/04 12:02
S74	0	(pppoe or point to point over ethernet) and subscriber informat\$5 and broadband and cost and trouble ticket and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:22
S75	2	(pppoe or point to point over ethernet) and subscriber informat\$5 and broadband and cost and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:23
S76	11	(pppoe or point to point over ethernet) and subscriber informat\$5 and market\$5 and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:33
S77	0	(pppoe or point to point over ethernet) and subscriber informat\$5 with market\$5 and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:39

S78	0	(pppoe or point to point over ethernet) and subscriber informat\$5 and network plan\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:42
S79	5	(pppoe or point to point over ethernet) and informat\$5 and network plan\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:43
S80	1	(pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and network plan\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:44
S81	16	(pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and (market\$5 or network plan\$5) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:46
S82	1	(pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and network plan\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:51
S83	11	(pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and service offer\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:53
S84	0	(pppoe or point to point over ethernet) and (subscriber or user or client) informat\$5 and service offer\$5 with market\$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 00:53
S85	0	(pppoe or point to point over ethernet) and (subscriber or user or client) trouble ticket and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 01:01

S86	0	(pppoe or point to point over ethernet) and (subscriber or user or client) with trouble ticket and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 01:01
S87	0	(pppoe or point to point over ethernet) and (subscriber or user or client) with (trouble ticket or complaint) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 01:02
S88	5	(pppoe or point to point over ethernet) and (subscriber or user or client) and (trouble ticket or complaint) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 01:02
S89	5	(pppoe or point to point over ethernet) and (subscriber or user or client) and (trouble ticket or complaint) and respons \$5 and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 01:06
S90	2	"20040044789".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/05 23:47
S91	0	((another or differnt) near6 request) and (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/19 13:41
S92	0	((another or differnt) near6 link) and (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/19 13:43
S93	7	((another or differnt or new) near6 link) and (pppoe or point to point over ethernet) and @ad< "20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/19 13:44

11/ 19/ 2008 5:20:50 PM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10791359.wsp